

trytobead



Waves



English Version

Supplies

For a bracelet of 18cm, including the clasp.

51 DiscDuo beads (6mm)

32 firepolished beads 4mm

68 round beads 3mm

3g seed beads size 11°

3g seed beads size 15°


1 clasp 10mm

Introduction

As shown here, the bracelet is 3 units wide and 17 units long. One more unit in the length adds a bit less than one cm. In the three row version you need two more firepolished beads, three more DiscDuos and four more round beads.



Step 1

Pass through the first hole of the DiscDuo (DD), string two 15°, one 11°, two 15° and pass back through the second hole of the DD. String two 15°, one 11°, two 15° and pass again through the first hole of the DD (black thread path). Then proceed through the first four 15° and skip the 11° in the middle (red thread path).



Step 2

String one 15°, one 11°, one round bead, one 11°, one 15° and pass through the four 15° at the other end of the DD (skipping the 11° in the middle). Repeat the bead count on the other half and pass through the following two 15° one 11°.




Step 3

String two 15, pass through the one hole of a DD, string two 15°, one 11°, two 15° and pass back through the second hole of the DD. String two 15°, and pass through the 11° where you started this unit and then through the following two 15°, the DD and the following four 15° (skipping the 11° in the center).

Then repeat step 2 to complete the unit. Repeat until your bracelet has the desired length (here 17 units).


Step 4

To get into the next row, we exit from the round bead at the edge of the strip, string one 11° and one 15° and pass back through one hole of the next DD.




Step 5

Add the arcs of two 15° s one 11° , two 15° s as shown in step 1. .





Step 6

String one 15°, one 11°, one round bead, one 11°, one 15° and pass through the following four 15° (skipping the 11° in between). Pass also through the 15° and 11° and round bead where you started this unit. String one 11°, one 15° and pass through the following two 15° and 11°.



Step 7

Start the next unit as shown in step 3




Step 8

Make the outer row as shown in step two but pass through the round bead of the adjacent unit instead of adding a new one as shown in the drawing. On the outer line, you add a new round bead as shown in step 2.


Step 9

The next unit is made in the same way like the previous one, just counter clockwise.



Step 10


After completing the second row, make a third one. Once it is finished, we can start the embellishment. Exit from one 11° between two units, heading towards the center of the bracelet. String one 15° , one 11° , one firepolished, one 11° , one 15° and pass through the corresponding 11° of the middle row. Repeat once more between the middle and the next row. Pass along the arc at the outline as shown in the drawing and repeat the step here. Continue in this way along the entire bracelet.



Step 11

For the clasp we make a loop starting from the 11° of the middle row. String three 11°, the loop of the clasp, three 11°, pass again through the bead where you exited from, reinforce the beads of the loop and then add one 15 after the first, second, fourth and fifth 15°.

Repeat the step at the other end of the bracelet.





Happy Beading!
Sabine Lippert
www.Trytobead.com

This is a free pattern, you may share it.
A commercial use is not allowed.